


Readiness matters.

SAM 450P

LIFELINKcentral™ AED program manager and HeartSine® Connected AEDs



AEDs work.

But only if they're ready.

Sudden cardiac arrest (SCA) can happen to anyone, anywhere. That's why public access defibrillators are important. They put lifesaving technology where it can do the most good. Ongoing system maintenance, however, has been time-consuming and at risk for human errors.

Readiness made easy.


By providing remote monitoring, LIFELINKcentral AED program manager makes managing your AEDs easier and more accurate. LIFELINKcentral program manager facilitates remote management with a Wi-Fi connection to each HeartSine Connected AED. Readiness information, automatically collected by the software, and Pad-Pak expirations are tracked for easy management — whether you have one AED or 100, in a single office or across thousands of miles. LIFELINKcentral AED program manager even sends you alerts of conditions affecting readiness.

For each HeartSine Connected AED, you can:


- Remotely monitor readiness information
- Receive alerts of conditions affecting readiness
- View the status of all connected AEDs
- · Get notifications if a Pad-Pak is expiring or has expired
- View manually-entered location on a map

Complete management system.*

You can manage all your AEDs with LIFELINKcentral AED program manager, even those that aren't connected.* Once the device information is entered manually for you, you can update inspection data on a regular schedule. With LIFELINKcentral, you will have complete snapshot of AED and rescuer readiness. You can even pinpoint them on a map and create alerts for scheduled battery or electrode replacement.



Basic license



PRO license or Premium package



Choose the package or license that fits your needs

LIFELINKcentral AED program manager Basic license is included with each Stryker connected AED, but there are numerous reasons to invest in the PRO license or Premium package.

| easons to invest in the PRO license or Premium package. | Licenses | | Service Package | |
|---|---|-------------------------------------|-------------------------------------|--|
| LIFELINKcentral options | Basic PRO | | Premium | |
| | Included with Stryker connected AED | Account fee applies ¹ | Per AED fee applies ¹ | |
| Equipment management | | | | |
| Supported devices/equipment | | | | |
| HeartSine connected AED with HeartSine Gateway, Pad-Pak and/or Pediatric-Pak | X | X | X | |
| LIFEPAK CR2 connected AED with battery and QUIK-STEP electrodes | X^2 | X | X | |
| Stryker non-connected AEDs (manually uploaded by Stryker support team) | | X ³ | X | |
| All other AEDs (manually uploaded by Stryker support team) | | X ³ | X | |
| All other accessories and custom equipment | | X | X | |
| Tracking equipment readiness | | | | |
| Edit and view equipment details | X | X | X | |
| View device readiness and test logs (connected AEDs) | X | X | X | |
| View equipment map | X | X | X | |
| View equipment status via readiness wheel | | X | X | |
| Record manual inspections | | X | X | |
| Site management | | | | |
| Tracking site readiness | | | | |
| Add, edit and view site information | X | X | X | |
| Manage software and setup options | X | X | X | |
| View site map | X | X | X | |
| View site status via readiness wheel | | X | X | |
| View program status summary report | | X | X | |
| Set custom inspection schedules | | X | X | |
| People management | | | | |
| User profiles and roles | | | | |
| Add, edit, and view user profiles | X | X | X | |
| Assign program coordinator and site coordinator roles | X | X | X | |
| Responder readiness | | | | |
| View training status via readiness wheel | | X | X | |
| Assign AED inspector and trained responder roles | | X | X | |
| Track trained responder certifications/readiness | | X | X | |
| Training events | | | | |
| Manage training events and rosters | | X | Х | |
| Email notifications | | | | |
| Readiness notifications for HeartSine and LIFEPAK CR2 connected AEDs | X | Х | X | |
| Readiness notifications for all other AEDs (for equipment manually uploaded by Stryker support team) | | X ³ | X | |
| Readiness notifications for custom equipment | | X | X | |
| In use notifications for LIFEPAK CR2 connected AEDs | Х | X | X | |
| AED Program Administrator follow-up to email notifications | | | X | |
| Implementation Support | | | | |
| Ongoing medical direction and registration | | | X | |
| Site assessment for AED implementation | | | X | |
| Account Support | | | | |
| Access to online Resource Center | Х | X | Х | |
| Customer service | X | X | X | |
| Dedicated AED Program Administrator | | | X | |
| AED Program Administrator proactive oversight/calls, follow-up to LLC email notifications, monthly status updates, and quarterly program and site compliance audits | | | х | |
| Post event services for Stryker AEDs | | | | |
| Onsite post-event summary report download and counseling, plus clinical review | | | Х | |
| Post-event supply replenishment | | | X | |
| A la carte options | | | | |
| Onsite AED/CPR training options | | | Х | |
| Blended (e-learning and onsite) AED/CPR training options | | | X | |
| Supply replenishment credits for all Stryker AEDs, excluding LIFEPAK 500 (Prepaid battery and electrodes) | | X | X | |
| Upload of non-connected and other AEDs | | X | | |
| Bulk upload of HeartSine accessories (minimum quantity of 10) | X | X | Х | |
| Sam appear of from concession (minimum quanter) of 10) | Λ | Λ | Λ | |

- 1. LIFELINKcentral PRO license offers the services listed, and is charged as an annual fee per account. Premium package is charged as an annual per AED fee.
- 2. The battery and OUIK-STEP electrodes delivered in the LIFEPAK CR2 AED box will be managed with Basic license. PRO license is required to manage spare batteries and/or additional OUIK-STEP electrode trays.
- 3. Upload fee applies.



HeartSine samaritan PAD 360P and 450P Automated External Defibrillators (AEDs) with a prescription requirement

BRIEF SUMMARY OF INDICATIONS AND IMPORTANT SAFETY INFORMATION

INDICATIONS FOR USE: The HeartSine samaritan PAD 360P (SAM 360P) and HeartSine samaritan PAD 450P (SAM 450P) are indicated for use on victims of cardiac arrest who are exhibiting the following signs: unconscious, not breathing, without circulation (without a pulse)

The AEDs are intended for use by personnel who have been trained in their operation. Users should have received training in basic life support/AED, advanced life support or a physician-authorized emergency medical response training program. The AEDs are indicated for use on patients greater than 8 years old or over 55 lb (25 kg) when used with the adult Pad-Pak (PAD-PAK-01) or PAD-PAK-07). They are indicated for use on children between 1 and 8 years of age or up to 55 lb (25 kg) when used with the Pediatric-Pak (PAD-PAK-02).

AINDICATION: If the patient is responsive or conscious, do not use the HeartSine samaritan PAD to provide treatment

WARNINGS: AEDs: • The HeartSine samaritan PAD (AED) delivers therapeutic electrical shocks that can cause serious harm to either users or bystanders. Take care to ensure that no one touches the patient when a shock is to be delivered. • Touching the patient during the analysis phase of treatment can cause interference with the diagnostic process. Avoid contact with the patient while the AED is analyzing the patient. The AED will instruct you when it is safe to touch the patient. • Do not delay treatment trying to find out the patient's exact age and weight. If a Pediatric-Pak or an alternative suitable defibrillator is not available, you may use an adult Pad-Pak. • Disconnect non-defibrillation protected electronic devices or medical equipment from the patient before using the AED. • Do not use the AED in the vicinity of explosive gases, including flammable anesthetics or concentrated oxygen. • Do not use portable RF communications equipment closer than 12 in (30 cm) to any part of the AED. • Place pads at least 3.1 in (8 cm) away from a pacemaker. • The SAM 360P is a fully automatic defibrillator. When required, it will deliver a shock to the patient WITHOUT user intervention. • The SAM 450P CPR Rate Advisor is only intended to provide feedback on adult patients. If you treat a pediatric patient with the SAM 450P and an adult Pad-Pak, ignore any voice prompts regarding the rate of CPR. • Do not open or repair the AED under any circumstances as there could be danger of electric shock. If damage is suspected, immediately replace the AED. • Do not use any accessories other than those specified or provided by HeartSine Technologies as the AED may malfunction. Pad-Pak and Pediatric-Pak: • Do not use if the gel is dry. • Not for use on patients under 1 year old. • Pediatric-Pak is for use with children up to the age of 8 years or up to 55 lb (25 kg). DO NOT DELAY THERAPY IF YOU ARE NOT SURE OF EXACT AGE OR WEIGHT. • Pediatric-Pak is suitable for use only with HeartSine samaritan PADs with the adult/child symbol*. If the AED you are using does not have this label, use the adult Pad-Pak if no alternatives are $available. \ ^{\bullet} The use of the Pediatric-Pak will enable delivery of 50 J shocks to the pediatric patient. \ ^{\bullet} It is advised that the Pediatric-Pak is stored separately when not in use. \ ^{\bullet} Never charge, short circuit, and the Pediatric-Pak is stored separately when not in use. \ ^{\bullet} Never charge, short circuit, and the Pediatric-Pak is stored separately when not in use. \ ^{\bullet} Never charge, short circuit, and the Pediatric-Pak is stored separately when not in use. \ ^{\bullet} Never charge, short circuit, and the Pediatric-Pak is stored separately when not in use. \ ^{\bullet} Never charge, short circuit, and the Pediatric-Pak is stored separately when not in use. \ ^{\bullet} Never charge, short circuit, and the Pediatric-Pak is stored separately when not in use. \ ^{\bullet} Never charge, short circuit, and the Pediatric-Pak is stored separately when not in use. \ ^{\bullet} Never charge, short circuit, short$ puncture, deform, incinerate, heat above 85°C or expose contents of TSO (Aviation) Pad-Pak to water. Remove when discharged.

PRECAUTIONS: AEDs: • Check the AED periodically in accordance with the service and maintenance instructions provided in the user manual. • If you hear a warning message when you PRECAUTIONS: ALDS: • Check the AED periodically in accordance with the service and maintenance instructions provided in the user manual. • If you near a warning message when you turn on your AED, consult Troubleshooting in the user manual. • Proper placement of the electrode pads is critical. Electrode pads must be at least 1 in (2.5 cm) apart and should never touch one another. • Do not use electrode pads if pouch is not sealed. • Do not pull green tab on Pad-Pak during set-up. • If a non-shockable rhythm is detected, the AED will end its ready to shock condition if it previously decided to shock. • Use of the AED outside the operating and storage ranges specified in the user manual may cause the AED to malfunction or reduce the shelf life of the Pad-Pak. • Do not immerse any part of the AED in water or any type of fluid. • Do not clean the AED with abrasive materials, cleaners or solvents. • Do not turn on the AED unnecessarily as this may reduce the standby life. • Do not use any unauthorized accessories with the AED as it may malfunction if non-approved accessories are used. • Dispose of the AED in accordance with national or local regulations. • Check with the relevant local government health department for information about any requirements associated with ownership and use of a defibrillator in the region where it is to be used. **Pad-Pak and Pediatric-Pak:** • Single use only. Reuse may cause AED to be unable to deliver therapy leading to a failure to resuscitate or lead to cross-infection between patients. • Do not use if open or damaged. • Check expiration date. • It is advised that a spare Pad-Pak be stored with AED in rear section of carry case.

Saver EVO Software: • Download the complete HeartSine samaritan PAD memory prior to erasing it. This information should be stored safely for future reference. Ensure that only the events you want to delete have been selected prior to deleting. Once deleted from your computer's memory, events cannot be regenerated, and all information will be lost.

POTENTIAL ADVERSE EFFECTS: The potential adverse effects (e.g., complications) associated with the use of an automated external defibrillator include, but are not limited to, the following: Failure to identify shockable arrhythmia - Failure to deliver a defibrillation shock in the presence of VF or pulseless VT, which may result in death or permanent injury - Inappropriate energy which could cause failed defibrillation or post-shock dysfunction of Myocardial damage of Fire hazard in the presence of high oxygen concentration or flammable anesthetic agents of Incorrectly shocking a pulse-sustaining rhythm and inducing VF or cardiac arrest of Bystander shock from patient contact during defibrillation shock of Interaction with pacemakers of Skin burns around the electrode placement area · Allergic dermatitis due to sensitivity to materials used in electrode construction · Minor skin rash

CAUTION: U.S. Federal law restricts the SAM 360P and SAM 450P AEDs to sale by or on the order of a physician.

Please consult the user manuals at heartsine.com for the complete list of indications, contraindications, warnings, precautions, potential adverse events, safety and effectiveness data, instructions for use and other important information.



If you purchased your HeartSine Connected AED from an authorized Stryker distributor or reseller, this distributor or reseller will have access to your LIFELINKcentral AED program manager account and may receive notifications prompted by the HeartSine Connected AED. Please note that this setting to notify your distributor or reseller can be disabled at ANY time: if you wish to disable this setting, please send a request to Stryker Customer Support to self-manage your site without notifications to your distributor or reseller.

All claims valid as of 04/2023.

For further information, please contact your Stryker representative or visit our website at strykeremergencycare.com

Emergency Care Public Access

AED users should be trained in CPR and in the use of the AED. Although not everyone can be saved, studies show that early defibrillation can dramatically improve survival rates. AEDs are indicated for use on adults and children. AEDs may be used on children weighing less than 25 kg (55 lb) but some models require separate defibrillation electrodes.

The information presented is intended to demonstrate Stryker's product offerings. Refer to operating instructions for complete directions for use indications, contraindications, warnings, cautions, and potential adverse events, before using any of Stryker's products. Products may not be available in all markets because product availability is subject to the regulatory and/or medical practices in individual markets. Please contact your representative if you have questions about the availability of Stryker's products in your area. Specifications subject to change without notice.

Stryker or its affiliated entities own, use, or have applied for the following trademarks or service marks: CPR Rate Advisor, HeartSine, HeartSine Gateway, LIFELINKcentral, LIFEPAK, Pad-Pak, Pediatric-Pak, OUIK-STEP, samaritan, Saver EVO, SCOPE, Stryker. All other trademarks are trademarks of their respective owners or holders.







r (UL) us HeartSine samaritan PAD: UL Classified. See complete marking on product.

Date of Issue: 04/2023; Made in U.K.; H009-043-200-AG EN-US; HeartSine SAM 450P is not available for sale outside of the U.S. or Japan. HeartSine Gateway is not available in all countries. Copyright © 2023 Stryker.



Manufactured by:

HeartSine Technologies, Ltd. 207 Airport Road West Belfast Northern Ireland BT3 9ED United Kingdom Tel +44 28 9093 9400 Fax +44 28 9093 9401 heartsinesupport@stryker.com heartsine.com

Distributed in U.S. by:

Stryker Emergency Care 11811 Willows Road NE Redmond, WA, 98052 U.S.A. Toll free 800 442 1142 strykeremergencycare.com